Tutorial Mengaktifkan POWERSHELL

1. Klik Start -> ketik "regedit" akan muncul tampilan seperti ini

	0								
🔡 Registry Editor					-		×		
<u>File E</u> dit <u>V</u> iew F <u>a</u> vorites <u>H</u> elp									
Computer\HKEY_CURRENT_USER									
V 📮 Computer	Name	Туре	Data						
HKEY_CLASSES_ROOT	ab)(Default)	REG_SZ	(value not set)						
> HKEY_LOCAL_MACHINE									
> HKEY_CURRENT_CONFIG									

2. Buka direktori/ folder dibawah ini ini

"HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Policies\Ex plorer\" akan memunculkan tampilan sebagai berikut,

Í 🏦 I	Registry	editor							-		\times
<u>F</u> ile	<u>E</u> dit	<u>V</u> iew	F <u>a</u> vorites <u>H</u> elp								
Com	Computer\HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Policies										
		>	Internet Setting	Name	Туре	Data					
		>	IrisService	(Default)	REG_SZ	(value not set)					
		>	Lock Screen								
		>	Mobility								
			Notifications								
			OOBE								
			PenWorkspace								
			Policies								
			PrecisionTouch								
			Privacy								
			PushNotificatio								
			RADAR								
			Run								
			RunNotification								
			RunOnce								
		>	Screensavers –								
			Search								
			SearchSettings								
			Security and Ma								
		>	Shell Extension:								
			SignalManager								

- 3. Lalu delete/hapus file ini "DisallowRun"
- 4. Dan jalankan powershell kembali dengan cara klik Start -> ketik "Powershell"

